

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S14	18	("20020166048" "6754829" "6823454" "6980660" "7042988" "7043453" "7047405" "7254711" "7266685").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/07 16:22
S13	22	("20030135732" "20040005878" "20040158716" "5371794" "6189098" "6553219" "6754824" "6823454" "6856800" "6886095" "7073055").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/07 16:22
L1	124	((generat\$3 calculat\$3 computing manipul\$3 produc\$4 determin\$4) near2 (((authentication authorization) adj (string message value code)) hash digest) with (time adj (information parameter data value)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 08:39
L2	6	((generat\$3 calculat\$3 computing manipul\$3 produc\$4 determin\$4) near2 (((authentication authorization) adj (string message value code)) hash digest) with time) and ((estimated predict\$3 expect \$2 anticipat\$3 project\$2) adj time) and ((actual current) adj time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 09:43
L3	152	((generat\$3 calculat\$3 computing manipul\$3 produc\$4 determin\$4) with (pluralit\$3 plural multiple different various) with (((authentication authorization) adj (string message value code information)) hash digest) with time) and (((authentication authorization) adj (string message value code information)) hash digest) with (depend\$4 relat\$3 associat\$3 based correspond \$4) with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 09:48

L4	176	((select\$3 choos\$3 choic\$3 decid\$3) near2 (((authentication authorization) adj (string message value code information)) hash digest) with time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 10:18
L8	18	380/270,268,255,28-30.ccls. and ((certificate near2 (user node terminal device apparatus client)) with (encrypt\$3 scrambl\$3 cipher \$3) with (secret session shared common random) near (key seed number sequence))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 11:35
L7	5	713/156,168-170,175,178,181.ccls. and ((select\$3 choos\$3 choic\$3 decid\$3) near2 (((authentication authorization) adj (string message value code information)) hash digest) with time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 11:35
L6	23	713/156,168-170,175,178,181.ccls. and ((generat\$3 calculat\$3 computing manipul\$3 produc\$4 determin\$4) with (pluralit\$3 plural multiple different various) with (((authentication authorization) adj (string message value code information)) hash digest) with time) and (((authentication authorization) adj (string message value code information)) hash digest) with (depend\$4 relat\$3 associat\$3 based correspond \$4) with time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 11:35
L5	29	713/156,168-170,175,178,181.ccls. and ((generat\$3 calculat\$3 computing manipul\$3 produc\$4 determin\$4) near2 (((authentication authorization) adj (string message value code)) hash digest) with (time adj (information parameter data value)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 11:35

L10	0	380/270,268,255,28-30.ccls. and ((select\$3 choos\$3 choic\$3 decid\$3) near2 (((authentication authorization) adj (string message value code information))) hash digest) with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 11:36
L9	4	380/270,268,255,28-30.ccls. and ((generat\$3 calculat\$3 computing manipul\$3 produc\$4 determin\$4) near2 (((authentication authorization) adj (string message value code)) hash digest) with (time adj (information parameter data value)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 11:36
L11	3	*380*/\$.ccls. and ((select\$3 choos\$3 choic\$3 decid\$3) near2 (((authentication authorization) adj (string message value code information))) hash digest) with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 11:41
L12	0	726/2,27,21,30.ccls. and ((select\$3 choos\$3 choic\$3 decid\$3) near2 (((authentication authorization) adj (string message value code information))) hash digest) with (based accord\$4 associat\$4 relat\$3 depend\$3 correspond\$4) with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 11:44
L14	37	*380*/\$.ccls. and ((generat\$3 calculat\$3 computing manipul\$3 produc\$4 determin\$4) with (pluralit\$3 plural multiple different various) with (((authentication authorization) adj (string message value code information))) hash digest) with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 11:45
L13	32	*705*/\$.ccls. and ((generat\$3 calculat\$3 computing manipul\$3 produc\$4 determin\$4) with (pluralit\$3 plural multiple different various) with (((authentication authorization) adj (string message value code information))) hash digest) with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 11:45

L18	0	*380"/\$.ccls. and ((select\$3 choos\$3 choic\$3 decid\$3) near2 (((authentication authorization) adj (string message value code information)) hash digest) with (based accord\$4 associat \$4 relat\$3 depend\$3 correspond\$4) with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 11:46
L17	0	*705"/\$.ccls. and ((select\$3 choos\$3 choic\$3 decid\$3) near2 (((authentication authorization) adj (string message value code information)) hash digest) with (based accord\$4 associat \$4 relat\$3 depend\$3 correspond\$4) with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 11:46
L16	6	*713"/\$.ccls. and ((select\$3 choos\$3 choic\$3 decid\$3) near2 (((authentication authorization) adj (string message value code information)) hash digest) with (based accord\$4 associat \$4 relat\$3 depend\$3 correspond\$4) with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 11:46
L15	1	*726"/\$.ccls. and ((select\$3 choos\$3 choic\$3 decid\$3) near2 (((authentication authorization) adj (string message value code information)) hash digest) with (based accord\$4 associat \$4 relat\$3 depend\$3 correspond\$4) with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 11:46
L19	6	*713"/\$.ccls. and ((select\$3 choos\$3 choic\$3 decid\$3) near2 (((authentication authorization authenticator) adj (string message value code information)) hash digest) with (based accord\$4 associat\$4 relat\$3 depend\$3 correspond\$4) with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 11:47

L24	3	((generat\$3 calculat\$3 computing manipulat\$3 produc\$4 determin\$4) with (pluralit\$3 plural multiple different various) with (((authentication authorization) adj (string message value code information)) hash digest) with (frame adj (information data number value)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 13:26
L27	103	((generat\$3 calculat\$3 computing manipulat\$3 produc\$4 determin\$4) with (((authentication authorization authenticator) adj (string message value code information)) hash digest) with (frame near (information data number value time)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 13:55
L26	99	((generat\$3 calculat\$3 computing manipulat\$3 produc\$4 determin\$4) with (((authentication authorization) adj (string message value code information)) hash digest) with (frame near (information data number value time)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 13:55
L25	38	((generat\$3 calculat\$3 computing manipulat\$3 produc\$4 determin\$4) with (((authentication authorization) adj (string message value code information)) hash digest) with (frame adj (information data number value)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 13:55

3/10/2008 3:14:43 PM

C:\Documents and Settings\mpatel5\My Documents\EAST\Workspaces\FY_07
\WorkSpace_648_Taghi_10603424.wsp